



Redispersible Polymer Powder

Technical Data Sheet

Description

ACCURATE 5011N is a free-flowed and water-soluble white powder, produced by spray and dry process mostly based on a hard copolymer of vinyl acetate and ethylene. It dissolves in water easily and forms the membrane, and provides the overall performance in increasing the cohesion, adhesion and flexibility of various substrates.

Product Specifications

GRADE	ACCURATE 5011N
Appearance	White to light beige powder
Solid Content	≥99%
Ash content(1000℃)	12±2 %
Packing density (g/l)	400-600
pH value	6.0-8.0
Particle size	90% pass 100 mesh
TG(°C)	10±5
Min Film-forming Temperature (°C)	4
Туре	Rigid
Protective colloid	Polyvinyl alcohol

Recommend Applications

Tile adhesive
Wall putty
Tile grout
Adhesive mortar for EIFS
Surface mortar for EIFS
Renders/ Plasters

Typical Properties

Dissolves in water easily and forms emulsion quickly

Increase the adhesion to all kinds of substrates

Improve the abrasion resistance, workability, and anti-permeability for the materials

Improve flexural and compressive strength

Packing & Storage

- 1. Multi layer paper bag with inner PE film
- 2. 25kg/bag, 600kg/pallet, 700kg/ pallet or 1300kg/pallet
- 3. 20' container: 13 Tons, 40' container: 26 Tons (with pallet)
- 4. Neutral or blank bag available, OEM brand available
- 5. Store in cool, dry and clean conditions. Due to the thermoplastic nature of redispersible powder, it is not recommended to stack double pallets during storage and transportation. In order to avoid caking, long-term storage in high temperature, high humidity and heavy pressure environments should be avoided. Due to the slight caking caused by poor storage and transportation conditions, if the caking can be crushed into the original powder, it can continue to be used. The shelf life is one year and it is recommended to use the product within 6 months after receving the goods. If the product is stored longer than recommended, it may still be used but users are advised to verify the properties required for the intended use.